

Product Data Sheet for KleenGuard® G20 Nitrile+ Gloves - 24cm Ambidextrous / Blue

Product Information

Customer Facing Code	38706 - 38710
Description	KleenGuard® G20 Nitrile+ Gloves - 24cm Ambidextrous / Blue
PDS Reference	17/03/2020
Status	On Sale

Packaging Configuration

Case Contents	38706: 10 Dispenser Boxes x 100 Gloves = 1000 Gloves 38707: 10 Dispenser Boxes x 100 Gloves = 1000 Gloves 38708: 10 Dispenser Boxes x 100 Gloves = 1000 Gloves 38709: 10 Dispenser Boxes x 100 Gloves = 1000 Gloves 38710: 10 Dispenser Boxes x 90 Gloves = 900 Gloves
Outer Pack Material	Corrugated

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
38706-XS	10036000387060	036000387063	41.5 x 26.9 x 26.1	7.65/8.79	E5	1.20 x 0.80 x 1.46	8 x 5 =40	0.84
38707-S	10036000387077	036000387076	41.7 x 27.5 x 26.2	7.65/8.89	E5	1.20 x 0.80 x 1.46	8 x 5 =40	0.84
38708-M	10036000387084	036000387083	41.7 x 27.5 x 26.2	7.54/8.68	E5	1.20 x 0.80 x 1.46	8 x 5 =40	0.83
38709-L	10036000387091	036000387090	41.2 x 27.6 x 25.6	8.76/9.9	E5	1.20 x 0.80 x 1.43	8 x 5 =40	0.95
38710-XL	10036000387107	036000387106	41.7 x 27.5 x 26.2	8.244/9.38	E5	1.20 x 0.80 x 1.46	8 x 5 =40	0.89

Product Description

KleenGuard™ G20 gloves are designed to provide maximum comfort and protection for tasks where safety and flexibility is key. The gloves' synthetic nitrile rubber material provides extra resistance and durability when compared with latex, making them the ideal choice for hand protection. With a wide size range of XS to XL and an ambidextrous design, KleenGuard™ gloves are perfectly suited for any user and come in a portable dispenser box for mobility and easy access. Powder-free, latex-free gloves, 0.12 mm. thickness, 1.5 AQL, with beaded cuff for added strength and smooth nitrile formulation to ensure excellent tactile sensitivity and flexibility for maximum comfort, providing excellent resistance against chemical splashes, comfortable fit, versatility and easy donning. Ideal for providing PPE Category III protection against chemical splashes in many different segments, these gloves are highly versatile and suitable for many different applications as chemical handling, light assembly tasks and paint and spray shops. Glove size 0.12mm (Thick) x 24cm (L). For other glove sizes, see product codes 38706, 38707, 38708 and 38709. 10 boxes x 90 ambidextrous, blue gloves, XL, (900 total)

Product Data Sheet for KleenGuard® G20 Nitrile+ Gloves - 24cm Ambidextrous / Blue

Features and Benefits

Features	Benefits
0.12mm thickness	Provides excellent chemical resistance against chemical splashes
AQL 1.5 for pinholes	Guarantees quality of production process
Beaded Cuff	Added strength and ease of donning
No natural rubber proteins	To avoid any risk of type 1 allergies
Smooth nitrile formulation	Ensures excellent tactile sensitivity and dexterity

Product Configuration

Sterile	No	Latex Free	Yes
Main Protection Type	CE Complex	Application	Industrial
Cuff Length (cm)	24	Ambidextrous	Yes
Powdered	No	Material	Nitrile
Coated	No	Liner	No
Coating	No	Colour	Blue
AQL	1.5	Chlorinated	Yes
Cuff Style	Rolled Beaded	Length	240 mm
Thickness	0.12 mm		

International Standards and Symbols

Solution

Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



Standard R+E

CE Mark

Simple - CAT I, Intermediate - CAT II or Complex - CAT III



Trade

ISO 14001

ISO 14001 is an international environmental standard. Designed to help organisations ensure that operations comply with environmental laws, and; major environmental risks and liabilities are properly identified, minimised and managed.



ISO 9001

This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.



Packaging

Unit Of Sale	Case	Max Weight(kg)	10.32
Case Dimension(LXWXH)(cm)	41.7 x 27.5 x 26.2	Inner Pack Material	Cartonboard

Product Data Sheet for KleenGuard® G20 Nitrile+ Gloves - 24cm Ambidextrous / Blue

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.

Protect from heat and radioactive sources.

Keep Dry. Store in a cool, dry place.

Single use only.

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Websites

www.kcprofessional.co.uk

Storage conditions

Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.

Durability

This product has a five years shelf life from the date of manufacture.

Customer Service Number

For more information please contact Customer Service during regular office hours-0870 551 044

Country of Origin

MALAYSIA